









2 TRACK

SECTION NO. : 2701
Weight / Mtr : 0.873




3 TRACK

SECTION NO. : 2702
Weight / Mtr : 1.405




4 TRACK

SECTION NO. : 2703
Weight / Mtr : 1.765




SGU SHUTTER

SECTION NO. : 2704
Weight / Mtr : 0.863




DGU SHUTTER

SECTION NO. : 2705
Weight / Mtr : 0.904




MOSQUITO SHUTTER

SECTION NO. : 2706
Weight / Mtr : 0.824




INTERLOCK

SECTION NO. : 2707
Weight / Mtr : 0.273




CENTER ADAPTOR

SECTION NO. : 2810
Weight / Mtr : 0.950-1.100



MOSQUITO CLIP

SECTION NO. : 2708
Weight / Mtr : 0.117




SLIM INTERLOCK

SECTION NO. : 2709
Weight / Mtr : 0.425

Aluminium Sliding Doors




Designed for durability, style, and functionality, these windows ensure superior weather resistance, effortless operation, and lasting beauty.




3 TRACK

SECTION NO. : 2801
Weight / Mtr : 1.700




2 TRACK

SECTION NO. : 2802
Weight / Mtr : 1.220




RADIUS RAIL TRACK

SECTION NO. : 2803
Weight / Mtr : 0.176




DGU SHUTTER EURO GROOVE

SECTION NO. : 2804
Weight / Mtr : 0.766




SGU SHUTTER EURO GROOVE

SECTION NO. : 2805
Weight / Mtr : 0.814




MOSQUITO SHUTTER

SECTION NO. : 2806
Weight / Mtr : 0.736




ADD ON WITH 2 TRACK

SECTION NO. : 2807
Weight / Mtr : 1.068




ADD ON WITH 3 TRACK

SECTION NO. : 2808
Weight / Mtr : 1.494




MOSQUITO CLIP

SECTION NO. : 2809
Weight / Mtr : 0.0089




CENTER ADAPTOR

SECTION NO. : 2810
Weight / Mtr : 0.950-1.100




SGU CLIP (UPTO 8MM GLASS)

SECTION NO. : 4014
Weight / Mtr : 0.210






INTERLOCK PATTI

SECTION NO. : 2811
Weight / Mtr : 0.310



SLIM INTERLOCK

SECTION NO. : 2812
Weight / Mtr : 0.425



2 TRACK WITH LOW THRESHOLD




SECTION NO. : 2901
Weight / Mtr : 1.135

3 TRACK WITH LOW THRESHOLD

SECTION NO. : 2902
Weight / Mtr : 1.973

SLEEK MOSQUITO INTERLOCK

SECTION NO. : 2903
Weight / Mtr : 0.475



3 TRACK WITH LEG




SECTION NO. : 2904
Weight / Mtr : 1.969

2 TRACK WITH LEG

SECTION NO. : 2905
Weight / Mtr : 1.325

MOSQUITO MIDDLE

SECTION NO. : 2906
Weight / Mtr : 0.595



MOSQUITO SHUTTER


SECTION NO. : 2907
Weight / Mtr : 0.816

SGU SHUTTER

SECTION NO. : 2908
Weight / Mtr : 0.890


DGU SHUTTER

SECTION NO. : 2909
Weight / Mtr : 0.796




SLIM INTERLOCK 37X34

SECTION NO. : 2710
Weight / Mtr : 0.747




SLIM INTERLOCK WITH HANDLE

SECTION NO. : 2911
Weight / Mtr : 1.172




CENTER SGU

SECTION NO. : 2912
Weight / Mtr : 0.704




SLEEK REINFORCEMENT INTERLOCK

SECTION NO. : 2913
Weight / Mtr : 1.184




SLEEK INTERLOCK

SECTION NO. : 2914
Weight / Mtr : 0.524




MATING

SECTION NO. : 2915
Weight / Mtr : 0.415




INTERLOCK

SECTION NO. : 2916
Weight / Mtr : 0.350




DOUBLE INTERLOCK

SECTION NO. : 2917
Weight / Mtr : 0.528




MOSQUITO CLIP

SECTION NO. : 2918
Weight / Mtr : 0.117




SS RAIL ADAPTOR

SECTION NO. : 2919
Weight / Mtr : 0.121




RADIUS RAIL TRACK

SECTION NO. : 2920
Weight / Mtr : 0.151




RAIL TRACK

SECTION NO. : 2921
Weight / Mtr : 0.148




2 TRACK

SECTION NO. : 3201
Weight / Mtr : 1.537




3 TRACK

SECTION NO. : 3202
Weight / Mtr : 1.749




SGU SHUTTER

SECTION NO. : 3203
Weight / Mtr : 0.901




DGU SHUTTER

SECTION NO. : 3204
Weight / Mtr : 1.07




MOSQUITO SHUTTER

SECTION NO. : 3205
Weight / Mtr : 0.816




INTERLOCK CLIP

SECTION NO. : 3206
Weight / Mtr : 0.292




2 TRACK GULF OUTER

SECTION NO. : 3207
Weight / Mtr : 0.905




SLIM INTERLOCK

SECTION NO. : 3208
Weight / Mtr : 0.600




SLIM INTERLOCK WITH HANDLE

SECTION NO. : 3209
Weight / Mtr : 0.880




SLEEK MOSQUITO INTERLOCK

SECTION NO. : 3211
Weight / Mtr : 0.475




DOUBLE INTERLOCK

SECTION NO. : 3212
Weight / Mtr : 0.425




MOSQUITO CLIP

SECTION NO. : 3213
Weight / Mtr : 0.117




MATING

SECTION NO. : 2915
Weight / Mtr : 0.415




U TRACK RAIL

SECTION NO. : 3214
Weight / Mtr : 0.173




SS GUIDE RAIL ADAPTOR

SECTION NO. : 3215
Weight / Mtr : 0.125



RAIL TRACK

SECTION NO. : 3216
Weight / Mtr : 0.148




GROOVE TRACK

SECTION NO. : 3217
Weight / Mtr : 0.150

ALURAC


Unlock Boundless Horizons

Discover a new dimension of connection and living space with stunning ALURAC sliding windows.




2 TRACK

SECTION NO. : 3501
Weight / Mtr : 1.360




3 TRACK

SECTION NO. : 3502
Weight / Mtr : 1.800




SGU SHUTTER

SECTION NO. : 3503
Weight / Mtr : 1.200




DGU SHUTTER

SECTION NO. : 3204
Weight / Mtr : 1.200




SLIM INTERLOCK

SECTION NO. : 3505
Weight / Mtr : 0.860




SLIM INTERLOCK WITH HANDLE

SECTION NO. : 3506
Weight / Mtr : 1.500




MOSQUITO NET CLIP

SECTION NO. : 3507
Weight / Mtr : 0.320




U TRACK RAIL

SECTION NO. : 3508
Weight / Mtr : 0.173




SS GUIDE RAIL ADAPTOR

SECTION NO. : 3509
Weight / Mtr : 0.125




RAIL TRACK

SECTION NO. : 3510
Weight / Mtr : 0.148



INTERLOCK CLIP

SECTION NO. : 3511
Weight / Mtr : 0.470




CENTER SGU


SECTION NO. : 3512
Weight / Mtr : 0.820

Pure Precision, Ultimate Protection


These high-performance aluminium sliding windows redefine durability, elegance, and engineering for today's luxury homes and high-rises.



Top View



37mm Two Track Shutter Assembly



Key Features

- European design
- Glazing from 5mm to 26mm
- Smooth & Effortless in Movement
- Automatic, Manual Concealed & Multipoint Lock System
- Provision for Insect Screen
- Reinforced Profile Available in Larger Opening
- Design for Mid to Large Size Shutter Sliding
- Bug & Bugler Proof Windows
- Slim Interlock Shutter Available for Single Glass & Double Glass Sliding



Sound Insulation



Air Permeability





Wind Load




Impact Resistance




Water Tightness






2 TRACK WITH LEG

SECTION NO. : 3701
Weight / Mtr : 1.819




2 TRACK WITH LEG

SECTION NO. : 3702
Weight / Mtr : 1.822




3 TRACK WITH LEG

SECTION NO. : 3703
Weight / Mtr : 2.675




3 TRACK WITH LEG

SECTION NO. : 3704
Weight / Mtr : 2.688




SGU SHUTTER

SECTION NO. : 3705
Weight / Mtr : 1.335




MOSQUITO SHUTTER

SECTION NO. : 3706
Weight / Mtr : 0.595




DGU SHUTTER

SECTION NO. : 3707
Weight / Mtr : 1.274




INTERLOCK

SECTION NO. : 3708
Weight / Mtr : 0.689




LAMINATED GLASS SHUTTER

SECTION NO. : 3709
Weight / Mtr : 1.450




BOX REINFORCEMENT SGU

SECTION NO. : 3710
Weight / Mtr : 1.317



SLIM INTERLOCK SGU

SECTION NO. : 3711
Weight / Mtr : 0.684




**CENTER OPENING
MEETING SECTION**


SECTION NO. : 3712
Weight / Mtr : 0.469




32mm FIX + OUTWARD OPENABLE WINDOW




32mm DOUBLE WINDOW INWARD OPENABLE






FRAME

SECTION NO. : 3221
Weight / Mtr : 0.500




IN/OUT OPENABLE SHUTTER

SECTION NO. : 3222
Weight / Mtr : 0.726




MULLION

SECTION NO. : 3223
Weight / Mtr : 0.694




INVERSION PROFILE

SECTION NO. : 3224
Weight / Mtr : 0.369




FLYING MULLION

SECTION NO. : 3225
Weight / Mtr : 0.623




SGU CLIP

SECTION NO. : 3226
Weight / Mtr : 0.202




OUTER FRAME

SECTION NO. : 4001
Weight / Mtr : 0.547




INSIDE/OUTSIDE SHUTTER

SECTION NO. : 4002
Weight / Mtr : 0.660




DOOR FRAME

SECTION NO. : 4003
Weight / Mtr : 0.783




BIG MULLION SHUTTER

SECTION NO. : 4004
Weight / Mtr : 0.867




BIG Z SHUTTER

SECTION NO. : 4005
Weight / Mtr : 0.870




DOOR- BOTTOM

SECTION NO. : 4006
Weight / Mtr : 1.298




SMALL HOLLOW Z

SECTION NO. : 4007
Weight / Mtr :0.72




REINFORCEMENT MULLION

SECTION NO. : 4008
Weight / Mtr : 1.04




EXTENDED MULLION

SECTION NO. : 4009
Weight / Mtr :1.45




EXTENDED OUTER

SECTION NO. : 4010
Weight / Mtr :1.56




FLYING MULLION

SECTION NO. : 4011
Weight / Mtr :0.662




INVERSION

SECTION NO. : 4012
Weight / Mtr : 0.433




SGU CLIP (UPTO 5MM GLASS)

SECTION NO. : 4013
Weight / Mtr : 0.213




SGU CLIP (UPTO 8MM GLASS)

SECTION NO. : 4014
Weight / Mtr : 0.210




DGU CLIP (UPTO 26MM GLASS)

SECTION NO. : 4015
Weight / Mtr : 0.159




DGU CLIP (UPTO 21MM GLASS)

SECTION NO. :4016
Weight / Mtr : 0.187




DOOR-BOTTOM-ADAPTOR

SECTION NO. : 4017
Weight / Mtr : 0.305




SMALL FRAME OUTER

SECTION NO. : 5001
Weight / Mtr : 0.818




MULLION

SECTION NO. : 5002
Weight / Mtr : 1.015




OUTSIDE OP. WINDOW SHUTTER

SECTION NO. : 5003
Weight / Mtr : 1.138




OUTSIDE OP. DOOR SHUTTER

SECTION NO. : 5004
Weight / Mtr : 1.402




INSIDE OP. SHUTTER

SECTION NO. : 5005
Weight / Mtr : 0.955




INSIDE OP. DOOR SHUTTER

SECTION NO. : 5006
Weight / Mtr : 1.540




BIG MULLION 90*50

SECTION NO. : 5007
Weight / Mtr : 1.235




FRAME

SECTION NO. : 5008
Weight / Mtr : 1.080




DOOR BOTTOM

SECTION NO. : 5009
Weight / Mtr : 1.766




SGU CLIP (UPTO 8MM GLASS)

SECTION NO. : 5010
Weight / Mtr : 0.305




LAMINATED GLASS CLIP (UPTO 15MM GLASS)

SECTION NO. : 5011
Weight / Mtr : 0.288




DGU CLIP (UPTO 26MM GLASS)

SECTION NO. : 5012
Weight / Mtr : 0.230




DOOR BOTTOM ADAPTOR

SECTION NO. : 5013
Weight / Mtr : 0.526




FLYING MULLION

SECTION NO. : 5014
Weight / Mtr : 0.707




INVERSION

SECTION NO. : 5015
Weight / Mtr : 0.508




DGU CLIP (UPTO 38MM GLASS)

SECTION NO. : 5016
Weight / Mtr : 0.185




ADAPTOR

SECTION NO. : 5017
Weight / Mtr : 0.185



SLIM GLAZE FIX 25*45

SECTION NO. : SL-001
Weight / Mtr : 0.789




SLIM GLAZE FOLDING BLOCK 25*45

SECTION NO. : SL-002
Weight / Mtr : 0.547



SLIM GLAZE FOLDING CLIP 13*11

SECTION NO. : SL-003
Weight / Mtr : 0.139



SLIM GLAZE BLOCK 25*45

SECTION NO. : SL-004
Weight / Mtr : 0.752



FOR 10MM GLASS 9*14

SECTION NO. : SL-005
Weight / Mtr : 0.100




FOR 12MM GLASS 9*16

SECTION NO. : SL-006
Weight / Mtr : 0.110




COVER SUITABLE FOR 4 WAY 8*19

SECTION NO. : SL-007
Weight / Mtr : 0.100



GLASS PARTITION SLIM GLAZE FIX 25*45

SECTION NO. : SL-008
Weight / Mtr : 0.560



GLASS PARTITION SLIM GLAZE MALE 25*45

SECTION NO. : SL-009
Weight / Mtr : 0.460




GLASS PARTITION SLIM GLAZE FEMALE 15*20

SECTION NO. : SL-010
Weight / Mtr : 0.170



DOOR FRAME COVER 9*45

SECTION NO. : SL-011
Weight / Mtr : 0.210




DATA PATTI 23*45

SECTION NO. : SL-012
Weight / Mtr : 0.330



STYLE DOOR FEMALE 19*13

SECTION NO. : SL-013
Weight / Mtr : 0.170




BOTTOM STYLE DOOR FEMALE 33*65

SECTION NO. : SL-014
Weight / Mtr : 0.910




STYLE DOOR 35*65

SECTION NO. : SL-015
Weight / Mtr : 1.050




SLIM GLAZE GRID FOR DOOR

SECTION NO. : SL-016
Weight / Mtr : 0.952




SLIM GLAZE FOUR WAY 45*45

SECTION NO. : SL-017
Weight / Mtr : 1.110




VERTICAL 42*10

SECTION NO. : SL-018
Weight / Mtr : 0.710



TOP & BOTTOM 42*32

SECTION NO. : SL-019
Weight / Mtr : 0.900




SYNCHRO TRACK 35*37

SECTION NO. : SL-020
Weight / Mtr : 0.830



COVER FOR SYNCHRO TRACK 68*17

SECTION NO. : SL-021
Weight / Mtr : 0.360



TELESCOPIC TRACK

SECTION NO. : SL-022
Weight / Mtr :




COVER FOR TELESCOPIC TRACK

SECTION NO. : SL-023
Weight / Mtr : 0.350




VERTICAL 45*16

SECTION NO. : SL-024
Weight / Mtr : 0.615




TOP & BOTTOM PROFILE

SECTION NO. : SL-025
Weight / Mtr : 0.683




CENTER PROFILE

SECTION NO. : SL-026
Weight / Mtr : 0.601




VERTICAL 32*16

SECTION NO. : SL-027
Weight / Mtr : 0.480




TOP & BOTTOM 32*16

SECTION NO. : SL-028
Weight / Mtr : 0.611




DOOR BOTTOM 75*45

SECTION NO. : SL-029
Weight / Mtr : 1.400




DOOR 75*45

SECTION NO. : SL-030
Weight / Mtr : 1.580




DOOR CLIP 75*45

SECTION NO. : SL-031
Weight / Mtr : 0.218




MIDDLE H 20*17

SECTION NO. : SL-032
Weight / Mtr : 0.292




FIX U 20*17

SECTION NO. : SL-033
Weight / Mtr : 0.254




PARTITION 45*20

SECTION NO. : SL-034
Weight / Mtr : 0.526




CLIP 45*20

SECTION NO. : SL-035
Weight / Mtr : 0.190




DOOR FRAME

SECTION NO. : SL-036
Weight / Mtr : 1.273




SLIM PROFILE

SECTION NO. : SL-037
Weight / Mtr : 0.560




COVER

SECTION NO. : SL-038
Weight / Mtr : 0.232




DOOR FRAME STYLE DOOR 35*65

SECTION NO. : SL-039
Weight / Mtr : 0.212




FIX MALE

SECTION NO. : SL-040
Weight / Mtr : 0.560




FIX FEMALE

SECTION NO. : SL-041
Weight / Mtr : 0.322




PATAM 50*35

SECTION NO. : SL-042
Weight / Mtr : 1.300




FIX PROFILE 25*25

SECTION NO. : SL-043
Weight / Mtr : 0.430




FIX PROFILE FEMALE

SECTION NO. : SL-044
Weight / Mtr : 0.140




FIX PROFILE MALE

SECTION NO. : SL-045
Weight / Mtr : 0.360




DOUBLE GLAZE FIX PROFILE MALE

SECTION NO. : SL-046
Weight / Mtr : 0.950




DOUBLE GLAZE FIX PROFILE TOP


SECTION NO. : SL-047
Weight / Mtr : 1.100



DOUBLE GLAZE TOP COVER


SECTION NO. : SL-048
Weight / Mtr : 0.240






TOP 40*40

SECTION NO. : RL-001
Weight / Mtr : 0.956




TOP 50*50

SECTION NO. : RL-002
Weight / Mtr : 1.175




LED TOP 50*50

SECTION NO. : RL-003
Weight / Mtr : 1.280




TOP 60*35

SECTION NO. : RL-004
Weight / Mtr : 1.230




TOP 25*25

SECTION NO. : RL-005
Weight / Mtr : 0.573




FOR 12MM GLASS 9*16

SECTION NO. : RL-006
Weight / Mtr : 1.188




ROUND TOP 44*65

SECTION NO. : RL-007
Weight / Mtr : 1.420




SLIM TOP 40*35

SECTION NO. : RL-008
Weight / Mtr : 0.655



LED TOP 70*30

SECTION NO. : RL-009
Weight / Mtr : 1.090




BOTTOM 60*45

SECTION NO. : RL-010
Weight / Mtr : 1.690




BOTTOM 120*45

SECTION NO. : RL-011
Weight / Mtr : 5.380




BOTTOM 87*37

SECTION NO. : RL-012
Weight / Mtr : 3.360




MANDIR BOTTOM

SECTION NO. : RL-013
Weight / Mtr : 2.800




BOTTOM 4088

SECTION NO. : RL-014
Weight / Mtr : 3.100




BOTTOM 5349

SECTION NO. : RL-015
Weight / Mtr : 2.600




BOTTOM FEMALE

SECTION NO. : RL-016
Weight / Mtr : 2.184




BOTTOM MALE

SECTION NO. : RL-017
Weight / Mtr : 4.180




BOTTOM CLIP

SECTION NO. : RL-018
Weight / Mtr : 0.683




BOTTOM 80*40

SECTION NO. : RL-019
Weight / Mtr : 2.900




BOTTOM 60*33

SECTION NO. : RL-020
Weight / Mtr : 2.050




LED BOTTOM 90*50

SECTION NO. : RL-021
Weight / Mtr : 3.160




BOTTOM 115*55

SECTION NO. : RL-022
Weight / Mtr : 4.300





BOTTOM 125*71


SECTION NO. : RL-023
Weight / Mtr : 5.600




BOTTOM 110*55

SECTION NO. : RL-024
Weight / Mtr : 3.998







SECTION NO. : 4355
Wt. 5.130 TO 5.350 KG/12'




SECTION NO. : 4416
Wt. 3.120 TO 3.300 KG./12'




SECTION NO. : 4546
Wt. 3.190 TO 3.300 KG./ 12'




SECTION NO. : 4547
Wt. 3.780 TO 3.900 KG/12'




SECTION NO. : 4548
Wt. 2.560 TO 2.750 KG/12'




SECTION NO. : 4602
Wt. 3.640 TO 3.850 KG/12'




SECTION NO. : 5885
Wt. 2.170 TO 2.250 KG/12'




SECTION NO. : 4693
Wt. 3.100 TO 3.250 KG/12'



SECTION NO. : 4822
Wt. 3.740 TO 4.000 KG/12'




SECTION NO. : 4515
Wt. 2.510 TO 2.700 KG/12'




SECTION NO. : 4650
Wt. 1.800 TO 2.000 KG/12'




SECTION NO. : 4093
Wt. 4.000 TO 4.500 KG/12'




SECTION NO. : 4458
Wt. 3.750 TO 3.950 KG/12'




SECTION NO. : 4731
Wt. 3.310 TO 3.550 KG/12'




SECTION NO. : 4130
Wt. 4.600 TO 4.850 KG/12'




SECTION NO. : 4095
Wt. 2.950 TO 3.250 KG/12'




SECTION NO. : 4376
Wt. 3.240 TO 3.450 KG/12'




SECTION NO. : 4096
Wt. 6.450 TO 6.750 KG/12'




SECTION NO. : 5264
Wt. 6.850 TO 7.050 KG/12'




SECTION NO. : 4541
Wt. 3.080 TO 3.250 KG/12'




SECTION NO. : 4094
Wt. 5.900 TO 6.300 KG/12'




SECTION NO. : 4098
Wt. 5.900 TO 6.200 KG/12'




SECTION NO. : 5318
Wt. 4.732 TO 4.980 KG/12'




SECTION NO. : 4092
Wt. 7.100 TO 7.650 KG./12'




SECTION NO. : 4824
Wt. 5.000 TO 5.250 KG/12'




SECTION NO. : 4512
Wt. 6.050 TO 6.250 KG/12'




SECTION NO. : 4801
Wt. 4.000 TO 4.250 KG/12'




SECTION NO. : 5127
Wt. 5.200 TO 5.450 KG/12'




SECTION NO. : 5265
Wt. 4.830 TO 5.080 KG/12'




SECTION NO. : 4126
Wt. 4.150 TO 4.300 KG./12'




SECTION NO. : 5343
Wt. 4.810 TO 5.060 KG/12'




GIRDER
SECTION NO. : 5350
Wt. 4.510 TO 4.760 KG/12'



GIRDER
SECTION NO. : 4335
Wt. 6.960 TO 7.200 KG/12'



GIRDER
SECTION NO. : 5760
Wt. 6.525 TO 6.650 KG/12'



GIRDER
SECTION NO. : 4936
Wt. 10.730 TO 11.100 KG/12'